



 *Masonite*<sup>®</sup>

MASONITE<sup>®</sup> STEEL DOOR COLLECTION

## Premium Steel Facings

All Masonite® Steel doors feature prime coated, galvanized, 24-gauge, steel facings providing excellent corrosion protection.

NOTE: Metal-Edge doors constructed with heavier gauge facings are also available for heavy-duty applications. Wood-Edge 26-gauge utility doors are available on select styles (limited 1-year warranty).

## Specialty™ Glass Inserts

All decorative glass inserts feature a triple-pane 1" insulated assembly providing maximum design selection and performance. Double-pane insulated glass inserts and flush-glazed frame designs are also available.



This prime-coated, galvanized steel entry door resists corrosion and rusting while delivering strength and superior insulation. The metal-edge design provides greater security without sacrificing full perimeter protection. Available in numerous panel configurations to suit any design need.

### METAL-EDGE CONSTRUCTION

Hinge and lock stiles feature formed metal profiles maximizing rigidity, security and fire protection.



Masonite® Metal-Edge Steel with Seville glass, Door: MMS-404-841, Sidelites: MWSSL-152-841

## Masonite® Metal-Edge Steel Doors

Width x Height	FLUSH	CROSS BUCK	ARCH TOP 3-PANEL	BLANK TOP 4-PANEL	NEW ENGLAND 4-PANEL	EYEBROW 4-PANEL	5-PANEL WITH SCROLL*	EYEBROW 5-PANEL WITH SCROLL*	6-PANEL	8-PANEL	9-PANEL
2'0" x 6'8"	■▲🔥										
2'0" x 7'0"	■▲🔥										
2'0" x 8'0"	■▲🔥										
2'6" x 6'8"	■▲🔥				■†						
2'6" x 7'0"	■▲🔥				■†				■†▲🔥		
2'6" x 8'0"	■▲🔥								■†▲🔥		
2'8" x 6'8"	■▲🔥	■	■🔥	■	■🔥	■	■🔥	■	■▲🔥	■	■🔥
2'8" x 7'0"	■▲🔥	■	■🔥	■	■🔥	■	■🔥	■	■▲🔥	■	■🔥
2'8" x 8'0"	■▲🔥		■🔥	■	■🔥	■	■🔥	■	■▲🔥		■🔥
2'10" x 6'8"	■▲🔥	■	■🔥	■	■🔥	■	■🔥	■	■▲🔥	■	■🔥
2'10" x 7'0"	■▲🔥	■	■🔥	■	■🔥	■	■🔥	■	■▲🔥	■	■🔥
2'10" x 8'0"	■▲🔥		■🔥	■	■🔥	■	■🔥	■	■▲🔥		■🔥
3'0" x 6'8"	■▲🔥	■	■🔥	■	■🔥	■	■🔥	■	■▲🔥	■	■🔥
3'0" x 7'0"	■▲🔥	■	■🔥	■	■🔥	■	■🔥	■	■▲🔥	■	■🔥
3'0" x 8'0"	■▲🔥		■🔥	■	■🔥	■	■🔥	■	■▲🔥		■🔥

Notes: ■ Masonite® Metal-Edge Steel availability. ▲ Available without scrolled center panel. † Features narrow panel layout. 🔥 Available with heavier gauge facings. 🧯 90-minute fire door available



# Masonite® Steel Door Collection

The complete line of Masonite® Steel Doors complements the architectural style of any home. All Masonite Steel Doors feature 24-gauge, prime-coated, galvanized facings and a high-performance polyurethane core for corrosion resistance and energy efficiency. To meet specific requirements, Masonite Steel Doors are offered in a wide array of designs, options and configurations. Masonite HD High-Definition Steel provides distinction to any home with outstanding panel definition. Masonite Metal-Edge Steel delivers exceptional rigidity and extra security. Masonite Wood-Edge Steel provides a wood thermal break, excellent stability and easy field machining. Masonite Steel Doors are also available with fire ratings (see size charts for detail).



Masonite® HD Steel with Monaco glass, Door: MHD-203-315, Sidelites: MWSSL-152-315



Masonite® HD Steel with Aurora glass, Door: MHD-304-207, Sidelites: MWSSL-450-207, Transom: T-207

Masonite® HD Steel Doors are available with Wood-Edge or Metal-Edge construction.



## Masonite® HD HIGH-DEFINITION STEEL ENTRY DOORS

The rich, decorative panel profile adds a touch of style and distinction and more closely replicates the appearance of a high-end wood door. Differentiate your home with Masonite® HD High-Definition Steel.

High-definition panel profile provides excellent shadow lines, creating outstanding panel definition.



### Masonite® HD High-Definition Steel Doors

LIMITED  
**15**  
YEAR  
WARRANTY  
Metal-Edge

LIMITED  
**5**  
YEAR  
WARRANTY  
Wood-Edge

	BLANK TOP 2-PANEL	ARCH TOP 3-PANEL	BLANK TOP 4-PANEL	6-PANEL	PARLIAMENT 8-PANEL	9-PANEL	BLANK TOP 2-PANEL	3-PANEL	BLANK TOP 1-PANEL
Width x Height									
2'8" x 6'8"	■	■ 🔥	■	■ 🔥	■ 🔥	■ 🔥			
2'8" x 7'0"	■	■ 🔥	■	■ 🔥	■ 🔥	■ 🔥			
2'10" x 6'8"	■	■ 🔥	■	■ 🔥	■ 🔥	■ 🔥			
2'10" x 7'0"	■	■ 🔥	■	■ 🔥	■ 🔥	■ 🔥			
3'0" x 6'8"	■	■ 🔥	■	■ 🔥	■ 🔥	■ 🔥			
3'0" x 7'0"	■	■ 🔥	■	■ 🔥	■ 🔥	■ 🔥			
1'0" x 6'8"							●	●	●
1'0" x 7'0"							●	●	●
1'2" x 6'8"							●	●	●
1'2" x 7'0"							●	●	●

Notes: ■ Masonite® HD Steel available in Metal-Edge or Wood-Edge construction ● Sidelite available in Wood-Edge construction 🔥 20-minute (Wood-Edge 6/8 only) or 90-minute (Metal-Edge 6/8 or 7/0) fire door available

## Polyurethane Core

Rigid polyurethane foam\*, meeting strict environmental guidelines, provides maximum thermal protection and dimensional stability.

## Design Flexibility

The Masonite Steel Door Collection offers a tremendous variety of panel configurations. In addition, a large array of widths and heights are also available.



The combination of 24-gauge steel facings, wood thermal break, and high performance polyurethane core guarantees energy efficiency and solid construction. Masonite's wide range of panel designs provide an incredible selection.

### WOOD-EDGE CONSTRUCTION

Hinge and lock stiles feature finger-jointed wood providing excellent stability, easy field machining, and a full 1-3/4" thermal barrier.



Masonite® Wood-Edge Steel with Nassau glass, Door: MWS-404-871, Sidelites: MWSSL-450-871 Transom: C-871

## Masonite® Wood-Edge Steel Doors

Width x Height	FLUSH	CROSS BUCK	ARCH TOP 3-PANEL	BLANK TOP 4-PANEL	NEW ENGLAND 4-PANEL	EYEBROW 4-PANEL	5-PANEL WITH SCROLL*	EYEBROW 5-PANEL WITH SCROLL*	6-PANEL	8-PANEL	9-PANEL	FLUSH	BLANK TOP 2-PANEL	3-PANEL	4-PANEL	
2'0" x 6'8"	■●🔥															
2'0" x 7'0"	■															
2'0" x 8'0"	■															
2'6" x 6'8"	■●🔥				■●											
2'6" x 7'0"	■				■											
2'6" x 8'0"	■															
2'8" x 6'8"	■●🔥	■	■🔥	■●	■	■🔥	■🔥	■🔥	■	■●🔥	■	■🔥				
2'8" x 7'0"	■	■	■	■	■	■	■	■	■	■	■	■				
2'8" x 8'0"	■															
2'10" x 6'8"	■●🔥	■	■🔥	■●	■	■🔥	■🔥	■🔥	■	■●🔥	■	■🔥				
2'10" x 7'0"	■	■	■	■	■	■	■	■	■	■	■	■				
2'10" x 8'0"	■															
3'0" x 6'8"	■●🔥	■	■🔥	■●	■	■🔥	■🔥	■🔥	■	■●🔥	■	■🔥				
3'0" x 7'0"	■	■	■	■	■	■	■	■	■	■	■	■				
3'0" x 8'0"	■															
1'0" x 6'8"													■●	■	■	■
1'0" x 7'0"													■●	■	■	■
1'0" x 8'0"													■●	■	■	■
1'2" x 6'8"													■	■	■	■
1'2" x 7'0"													■	■	■	■
1'2" x 8'0"													■	■	■	■

Notes: ■ Masonite® Wood-Edge Steel availability (24-gauge, 5-year limited warranty) ● Masonite® Wood-Edge Utility Grade Steel availability (26-gauge, 1-year limited warranty)  
 ● 10" x 6'8", 7'0" or 8'0" sidelite available \*Available without scrolled center panel. †Features narrow panel layout. 🔥20-minute fire door available  
 ★ Some sidelite panels may feature expanded polystyrene cores



# PREMVU<sup>®</sup> SERIES

WOOD-EDGE STEEL FLUSH-GLAZED DOORS

## Exceptional Value

PREMVU<sup>®</sup> Flush-Glazed Steel Doors are truly unique. The combination of 24-gauge steel facings, a wood thermal break and a high performance polyurethane core guarantee brighter rooms, energy efficiency and solid construction.

### Special Features:

- Superior aesthetics**  
 The flush-glazed feature of PREMVU<sup>®</sup> provides a much cleaner appearance than a traditional glass insert. The glazing bead is flush with the surface of the door and does not have screw holes.
- Stile and rail facing construction**  
 All doors feature an authentic stile and rail facing construction – replicating the appearance of a real wood door without all the maintenance.
- Wider viewing area**  
 PREMVU brightens up any room with 20% more viewing area – standard and wide glass inserts are available.
- Durable and energy efficient**  
 All PREMVU Flush-Glazed Steel Doors are manufactured with 24-gauge steel facings and polyurethane foam cores – maximizing strength, durability and energy efficiency.

### Factory Glazed Options:



1-Lite Clear and  
1-Lite High-Performance Clear  
Insulated Glass  
6'8" or 8'0"



1-Lite  
Internal Mini-Blind  
6'8"



15-Lite  
White Internal Grille  
6'8"



18-Lite  
White Internal Grille  
8'0"



### PREMVU<sup>®</sup> Series Wood-Edge Steel Flush-Glazed Doors

Glass Widths	Door Panel (width x height)								Sidelite Panel (width x height)			
	2'6"x6'8"	2'6"x8'0"	2'8"x6'8"	2'8"x8'0"	2'10"x6'8"	2'10"x8'0"	3'0"x6'8"	3'0"x8'0"	1'0"x6'8"	1'0"x8'0"	1'2"x6'8"	1'2"x8'0"
20"	■	■*	■	■*								
22"			■	■*	■	■*	■	■*				
26"							■	■*				
7"									▲		▲	
8"										▲		▲

Notes: \* Internal mini-blinds are NOT available in 8/0 height.  
 ▲ Not available factory glazed. Offered as OPEN PANEL ONLY.  
 PREMVU Door Panels are also available "open" (no glass) with stops available for 1" insulated glass inserts.



Masonite® Metal-Edge Steel with Madrid glass, Door: MMS-106-900,  
Sidelites: MWSSL-152-900, Transom: S-900



Masonite® Wood-Edge Steel with Marquise glass, Door: MWS-105-778,  
Sidelites: MWSSL-129-778

## *Masonite's Commitment*

At Masonite, employees from all parts of the company – sales, marketing, research and development, customer service and manufacturing – understand that people love their homes. In the past, homes were purchased to meet functional needs. Today, homes are purchased to meet specific lifestyles and to satisfy the need to create multiple living environments within a single home. To meet these lifestyle needs, Masonite is continually creating new and innovative products that will make every home more beautiful, more valuable and more enjoyable. With the ultimate goal of adding beauty and value to every home, Masonite's products are designed and constructed to exacting standards and specifications. All materials – wood, fiberglass, steel or composites – are engineered and carefully selected to ensure lasting durability and timeless performance.

For individuals who are building, renovating or redecorating, Masonite products are certain to beautify and accent a wide array of architectural home styles.

*Masonite. The Beautiful Door.™*



Masonite International Corporation

**Blackstock Lumber Co., Inc.**  
1039 Elliott Avenue West • Seattle, WA 98119  
Phone (206) 284-1313 • Fax (206) 281-0062  
[www.blackstocklumber.com](http://www.blackstocklumber.com)