

COLUMNS & PORCH POSTS



© Tom Redfield Productions

Blackstock Lumber Co., Inc.
1039 Elliott Avenue West • Seattle, WA 98119
Phone (206) 284-1313 • Fax (206) 281-0062
www.blackstocklumber.com

COLUMN SETS

PL PREMIUM ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

SPECTIS RESERVES THE RIGHT TO HOLLOW OUT BACK OF ANY PRODUCTS WITHOUT NOTICE.

SMOOTH TAPERED WITH NECK RING



**CLM 100
STRUCTURAL
COLUMN**

COLUMN SHAFTS, CAPS & BASES SOLD SEPARATELY.

These Spectis Columns are available as follows:

Structural column with a galvanized steel pipe inside (SC)

See page 173 and 174 for column installation instructions.

SMOOTH TAPERED COLUMN WITH NECK RING

| Product Number | Column Size | Base Diameter | Top Diameter | Column Height | Pipe Height |
|----------------|-------------|---------------|--------------|---------------|-------------|
| CLM 100-103 | 8" | 7 5/8" | 6 3/8" | 54 1/2" | 60" |
| CLM 100-106 | 8" | 7 5/8" | 6 3/8" | 90 1/2" | 96" |
| CLM 100-107 | 8" | 7 5/8" | 6 3/8" | 114" | 120" |
| CLM 100-100 | 10" | 9 5/8" | 8 7/16" | 90 1/2" | 96" |
| CLM 100-101 | 10" | 9 5/8" | 8 7/16" | 114" | 120" |
| CLM 100-108 | 12" | 11 5/8" | 9 13/16" | 114" | 120" |


SMOOTH TAPERED COLUMN

| Product Number | Column Size | Base Diameter | Top Diameter | Column Height | Pipe Height |
|----------------|-------------|---------------|--------------|---------------|-------------|
| CLM 110-101 | 8" | 7 5/8" | 6 3/8" | 54 1/2" | 60" |

FLUTED TAPERED COLUMN

| Product Number | Column Size | Base Diameter | Top Diameter | Column Height | Pipe Height |
|----------------|-------------|---------------|--------------|---------------|-------------|
| CLM 200-103 | 8" | 7 5/8" | 6 3/8" | 90 1/2" | 96" |
| CLM 200-104 | 10" | 9 5/8" | 8 7/16" | 90 1/2" | 96" |
| CLM 200-105 | 10" | 9 5/8" | 8 7/16" | 102" | 108" |
| CLM 200-106 | 12" | 11 5/8" | 9 13/16" | 114" | 120" |
| CLM 200-100 | 8" | 7 1/2" | 6" | 71 1/2" | 77 1/2" |
| CLM 200-101 | 10" | 9 5/8" | 8 5/8" | 108" | 114" |
| CLM 200-102 | 10" | 9 3/8" | 8 5/8" | 97" | 103" |

FLUTED TAPERED



**CLM 200
STRUCTURAL
COLUMN**

ROPE COLUMN



**CLM 400
STRUCTURAL
COLUMN**




©Tom Redfield Productions

ROPE COLUMN

| Product Number | Column Size | Base Diameter | Top Diameter | Column Height | Pipe Height |
|----------------|-------------|---------------|--------------|---------------|-------------|
| CLM 400-100 | 3" | 3" | 86 1/2" | 90 1/2" | 102 1/2" |
| CLM 400-101 | 8" | 8" | 96" | 90 1/2" | 112" |

- Maximum safe load 10,000 pounds comes with hardware kit.
- Load bearing column with 4 1/2" O.D. (outside diameter) galvanized steel pipe encased in polyurethane.

SMOOTH TAPERED



**CLM 110
STRUCTURAL
COLUMN**


1 • 8 0 0 • 6 8 5 • 9 9 8 1



COLUMN SETS


COLUMN SHAFTS, CAPS & BASES SOLD SEPARATELY.

TUSCAN CAP & BASE




CB 100

ROMAN DORIC CAP & BASE




CB 200

CORINTHIAN CAP



For 8" Tapered Column Only
CB 500

SCAMOZZI CAP



CB 700

TUSCAN CAP & BASE FOR TAPERED COLUMN

| Product Number | Cap or Base | Cap / Base Dimensions | Hole Size |
|----------------|-------------|----------------------------|-----------|
| CB 100-144 | 8" Cap | 10 1/8" x 10 1/8" x 3" | 6 7/16" |
| CB 100-145 | 8" Base | 10 7/8" x 10 7/8" x 4 1/4" | 7 11/16" |
| CB 100-146 | 10" Cap | 12 3/8" x 12 3/8" x 3 1/2" | 8 1/2" |
| CB 100-147 | 10" Base | 12 7/8" x 12 7/8" x 5 1/4" | 9 3/4" |
| CB 100-148 | 12" Cap | 14 1/8" x 14 1/8" x 3 1/2" | 9 7/8" |
| CB 100-149 | 12" Base | 15 5/8" x 15 5/8" x 6" | 11 3/4" |

ROMAN DORIC CAP & BASE FOR TAPERED COLUMN

| Product Number | Cap or Base | Cap / Base Dimensions | Hole Size |
|----------------|-------------|----------------------------|-----------|
| CB 200-124 | 8" Cap | 10 1/8" x 10 1/8" x 3 1/8" | 6 7/16" |
| CB 200-125 | 8" Base | 10 3/4" x 10 3/4" x 4" | 7 11/16" |
| CB 200-126 | 10" Cap | 12 3/8" x 12 3/8" x 4" | 8 1/2" |
| CB 200-127 | 10" Base | 13 1/2" x 13 1/2" x 5" | 9 3/4" |
| CB 200-128 | 12" Cap | 15 1/8" x 15 1/8" x 4" | 9 7/8" |
| CB 200-129 | 12" Base | 16" x 16" x 5 3/8" | 5 3/8" |

CORINTHIAN CAP

| Product Number | Cap or Base | Cap / Base Dimensions | Hole Size |
|----------------|-------------|-----------------------------|-----------|
| CB 500-143 | Cap | 12 1/2" x 12 1/2" x 12 1/8" | 5" |

SCAMOZZI CAP

| Product Number | Cap or Base | Cap / Base Dimensions | Hole Size |
|----------------|-------------|------------------------------|-----------|
| CB 700-138 | 8" Cap | 11 5/16" x 11 5/16" x 3 1/4" | 6 7/16" |
| CB 700-139 | 10" Cap | 14 1/2" x 14 1/2" x 3 3/4" | 8 1/2" |
| CB 700-140 | 12" Cap | 17 1/2" x 17 1/2" x 4 1/4" | 9 7/8" |

IONIC CAP

| Product Number | Cap or Base | Cap / Base Dimensions | Hole Size |
|----------------|-------------|----------------------------|-----------|
| CB 800-100 | 8" Cap | 9" x 9" x 3 1/2" | 6 7/16" |
| CB 800-101 | 10" Cap | 11 1/2" x 11 1/2" x 4 1/4" | 8 1/2" |
| CB 800-102 | 12" Cap | 13 7/8" x 13 7/8" x 5" | 9 7/8" |

ROPE CAP & BASE

| Product Number | Cap or Base | Cap / Base Dimensions | Hole Size |
|----------------|-------------|----------------------------|-----------|
| CB 900-150 | Cap | 12" x 12" x 11 3/8" | 4 1/2" |
| CB 900-151 | Base | 10 1/2" x 10 1/2" x 7 3/4" | 4 1/2" |


ATTIC BASE

| Product Number | Cap or Base | Cap / Base Dimensions | Hole Size |
|----------------|-------------|----------------------------|-----------|
| CB 600-119 | 8" Base | 11" x 11" x 5 1/4" | 7 11/16" |
| CB 600-120 | 10" Base | 12 7/8" x 12 7/8" x 6 1/4" | 9 3/4" |
| CB 600-121 | 12" Base | 15 3/8" x 15 3/8" x 7 1/4" | 11 3/4" |

STANDARD CAP & BASE


| Product Number | Cap or Base | Cap / Base Dimensions | Hole Size |
|----------------|-------------|----------------------------|-----------|
| CB 300-133 | 8" Cap | 8 5/8" x 8 5/8" x 3 1/8" | 6 7/16" |
| CB 300-132 | 8" Base | 10 1/4" x 10 1/4" x 3 3/8" | 7 11/16" |
| CB 300-134 | 10" Cap | 11" x 11" x 3 1/2" | 8 1/2" |
| CB 300-135 | 10" Base | 12 1/4" x 12 1/4" x 3 3/4" | 9 3/4" |
| CB 300-136 | 12" Cap | 12 3/4" x 12 3/4" x 3 3/4" | 9 7/8" |
| CB 300-137 | 12" Base | 14 1/2" x 14 1/2" x 4" | 11 3/4" |

IONIC CAP




CB 800

ROPE CAP & BASE




CB 900

ATTIC BASE



CB 600

STANDARD CAP & BASE



CB 300




MISCELLANEOUS COLUMNS, CAPS & BASES

PL PREMIUM ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

COLUMN SHAFTS, CAPS & BASES SOLD SEPARATELY.

SMOOTH TAPERED WITH NECK RING



CLM 100
NON STRUCTURAL
COLUMN

These Spectis Columns are available as follows:

1. Non structural full round column. (NSFC)
2. Non structural half column split vertically in half and come with a spline to attach them together. (NSHC)

SMOOTH TAPERED COLUMN WITH NECK RING

| Product Number | Column Size | Base Diameter | Top Diameter | Column Height |
|----------------|-------------|---------------|--------------|---------------|
| CLM 100-102 | 12" | 11 7/8" | 10 1/8" | 86" |
| CLM 100-105 | 7" | 7" | 6" | 66 3/4" |

SMOOTH TAPERED COLUMN

| Product Number | Column Size | Base Diameter | Top Diameter | Column Height |
|----------------|-------------|---------------|--------------|---------------|
| CLM 110-100 | 10" | 9 5/8" | 8 1/2" | 72" |


SMOOTH ENTASIS COLUMN WITH NECK RING

| Product Number | Column Size | Base Diameter | Top Diameter | Column Height |
|----------------|-------------|---------------|--------------|---------------|
| CLM 120-100 | 14" | 14" | 12" | 126" |
| CLM 120-101 | 10" | 10 1/8" | 8" | 144" |

FLUTED ENTASIS COLUMN


| Product Number | Column Size | Base Diameter | Top Diameter | Column Height |
|----------------|-------------|---------------|--------------|---------------|
| CLM 220-100 | 12" | 12" | 10 1/2" | 100" |
| CLM 220-101 | 14" | 14" | 12" | 94 3/4" |

SMOOTH ENTASIS WITH NECK RING



CLM 120
NON STRUCTURAL
COLUMN

SMOOTH TAPERED



CLM 110
NON STRUCTURAL
COLUMN



Photo above illustrates the following Spectis products: baluster BAL 2059-27, curved rail RAL 2100 top & bottom, newel post NP 2212, newel cap NC 2319, custom header CSH 1252 and mouldings MD 1141, MD 1352, and MD 1133.

FINISHING

All Spectis' products are shipped "double primed" with an exterior grade latex and are ready for use. We recommend final finishing after installation is complete for the most consistent appearance possible. Please see "finishing" recommendations (on page 175) for more information.



FLUTED ENTASIS



CLM 220
NON STRUCTURAL
COLUMN



MISCELLANEOUS COLUMNS, CAPS & BASES

COLUMN SHAFTS, CAPS & BASES SOLD SEPARATELY.

SMOOTH STRAIGHT



CLM 300
NON STRUCTURAL
COLUMN

SMOOTH STRAIGHT COLUMN

| Product Number | Column Size | Base Diameter | Top Diameter | Height |
|----------------|-------------|---------------|--------------|--|
| CLM 300-103 | 6" | 6" | N/A | These are available in 8', 10' or 12' heights. |
| CLM 300-104 | 8" | 8" | N/A | |
| CLM 300-100 | 10" | 10" | N/A | |
| CLM 300-101 | 12" | 12" | N/A | |
| CLM 300-102 | 14" | 14" | N/A | |


SMOOTH STRAIGHT COLUMN

| Product Number | Column Size | Base Diameter | Top Diameter | Column Height |
|----------------|-------------|---------------|--------------|---------------|
| CLM 1100-100 | 22" | 21 3/4" | N/A | 116 1/4" |





This historic home illustrates the use of the following Spectis products: baluster BAL 2027-14, rail RAL 2105 top & bottom, custom shutters and columns, newel post NP 2211 and newel cap NC 2334.

SMOOTH STRAIGHT



CLM 1100
NON STRUCTURAL
COLUMN

TUSCAN CAP & BASE FOR TAPERED COLUMN



CB 100


TUSCAN CAP & BASE FOR TAPERED COLUMN

| Product Number | Cap or Base | Cap / Base Dimensions | Hole Size |
|----------------|--------------|----------------------------|-----------|
| CB 100-109 | 8" Base | 10 3/4" x 10 3/4" x 4 3/8" | 8 3/8" |
| CB 100-111 | 10" Base | 13 1/2" x 13 1/2" x 5 1/4" | 9 5/8" |
| CB 100-112 | 12" Cap/Base | 18" x 18" x 6 3/8" | 12" |
| CB 100-138 | 10" Cap | 12 7/8" x 12 7/8" x 4 5/8" | 8 1/2" |
| CB 100-139 | 12" Cap | 17" x 17" x 4 5/8" | 12 1/4" |
| CB 100-143 | 14" Base | 18 1/8" x 18 1/8" x 6" | 14" |
| CB 100-152 | 6" Base | 8 5/8" x 8 5/8" x 4 3/8" | 6" |

ROMAN DORIC CAP & BASE

| Product Number | Cap or Base | Cap / Base Dimensions | Hole Size |
|----------------|-------------|------------------------|-----------|
| CB 200-108 | 10" Cap | 12" x 12" x 3 5/8" | 8 3/4" |
| CB 200-122 | Cap | 21 3/4" x 21 3/4" x 6" | 15" |
| CB 200-123 | Base | 24" x 24" x 9 3/4" | 18 1/4" |

ROMAN DORIC CAP & BASE



CB 200

www.spectis.com




MISCELLANEOUS COLUMNS, CAPS & BASES

PL PREMIUM ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

COLUMN SHAFTS, CAPS & BASES SOLD SEPARATELY.

SCAMOZZI CAP



CB 700



The following Spectis products are shown here: BAL 2000-25, custom columns, curved rail RAL 2100T & B, NP 2211 and NC 2308.

SCAMOZZI CAP

| Product Number | Cap or Base | Cap / Base Dimensions | Hole Size |
|----------------|-------------|----------------------------|-----------|
| CB 700-136 | Cap | 10" x 10" x 3 5/8" | 5 1/2" |
| CB 700-137 | Cap | 16 1/4" x 16 1/4" x 4 3/4" | 9 1/4" |

CORINTHIAN CAP

| Product Number | Cap or Base | Cap / Base Dimensions | Hole Size |
|----------------|-------------|-----------------------------|---------------|
| CB 500-134 | Cap | 18 3/4" x 18 3/4" x 18 1/4" | 11" square |
| CB 500-135 | Cap | 21 1/2" x 21 1/2" x 21" | 13 1/2" round |
| CB 500-142 | Cap | 24" x 24" x 18" | 14" square |

ATTIC BASE

| Product Number | Cap or Base | Cap / Base Dimensions | Hole Size |
|----------------|-------------|----------------------------|-----------|
| CB 600-118 | 12" Base | 16 1/8" x 16 1/8" x 6 3/4" | 12" |

STANDARD CAP & BASE

| Product Number | Cap or Base | Cap / Base Dimensions | Hole Size |
|----------------|-------------|-----------------------|-----------|
| CB 300-106 | Cap | 9 3/8" x 9 3/8" x 2" | 6 7/8" |
| CB 300-107 | Cap | 10" x 10" x 3 1/8" | 7 1/4" |
| CB 300-110 | Cap | 10" x 10" x 4" | 7 3/4" |
| CB 300-119 | Cap | 12" x 12" x 3" | 8 7/16" |


STANDARD CAP & BASE

| Product Number | Cap or Base | Cap / Base Dimensions | Hole Size |
|----------------|-------------|----------------------------|-----------|
| CB 400-101 | Cap/Base | 16 1/2" x 16 1/2" x 2 3/4" | 14" |
| CB 400-102 | Cap/Base | 14 1/2" x 14 1/2" x 2 3/4" | 12" |
| CB 400-103 | Cap/Base | 12 1/2" x 12 1/2" x 2 3/4" | 10" |
| CB 400-104 | Cap/Base | 10 1/2" x 10 1/2" x 2 3/4" | 8" |
| CB 400-105 | Cap/Base | 8" x 8" x 2 3/4" | 6" |

STANDARD CAP & BASE


| Product Number | Cap or Base | Cap / Base Dimensions | Hole Size |
|----------------|-------------|-----------------------|-----------|
| CB 410-100 | Cap/Base | 6 7/8" x 6 7/8" x 4" | 6" |

ATTIC BASE




CB 600

CORINTHIAN CAP





CB 500

STANDARD CAP & BASE





CB 300

STANDARD CAP & BASE



CB 400

STANDARD CAP & BASE



CB 410



COLUMNS & PORCH POSTS



SMOOTH BOX COLUMN
SBC

SMOOTH BOX COLUMN WITH ALUMINUM INSERT
SBCS



BOX COLUMNS

FLUTED BOX COLUMN
FBC

FLUTED BOX COLUMN WITH ALUMINUM INSERT
FBCS



Photo above illustrates the use of the following Spectis products: baluster BAL 2000-25, rails RAL 2100T & B, custom columns, newel post NP 2211 and newel cap NC 2308.



Spectis products shown in photo above are: baluster BAL 2018, rails RAL 2110T, RAL 2103B, custom newel post and column.

SBC & FBC COLUMNS

- Available in two halves or assembled in one piece.
- Column is decorative (non supporting) however can be wrapped around an existing support.

SBCS & FBCS COLUMNS

- Comes complete with hardware kit
- Load bearing column with 4 1/2" O.D. (outside diameter) galvanized steel pipe encased in polyurethane.
- Maximum safe load 10,000 pounds


BOX COLUMNS

| PRODUCT NUMBER | | STYLE | | HEIGHT | BOX DIMENSION | |
|----------------|------------|--------|------|-------------------|---------------|-------------|
| DECORATIVE | STRUCTURAL | | | | BASE SIZE | COLUMN SIZE |
| SBC 860 | SBCS 860 | Smooth | 60" | 8" x 8" | 6" x 6" | |
| SBC 896 | SBCS 896 | Smooth | 96" | 8" x 8" | 6" x 6" | |
| SBC 8120 | SBCS 8120 | Smooth | 120" | 8" x 8" | 6" x 6" | |
| SBC 8144 | SBCS 8144 | Smooth | 144" | 8" x 8" | 6" x 6" | |
| SBC 1060 | SBCS 1060 | Smooth | 60" | 10 1/2" x 10 1/2" | 8" x 8" | |
| SBC 1096 | SBCS 1096 | Smooth | 96" | 10 1/2" x 10 1/2" | 8" x 8" | |
| SBC 10120 | SBCS 10120 | Smooth | 120" | 10 1/2" x 10 1/2" | 8" x 8" | |
| SBC 10144 | SBCS 10144 | Smooth | 144" | 10 1/2" x 10 1/2" | 8" x 8" | |
| FBC 860 | FBCS 860 | Fluted | 60" | 8" x 8" | 6" x 6" | |
| FBC 896 | FBCS 896 | Fluted | 96" | 8" x 8" | 6" x 6" | |
| FBC 1060 | FBCS 1060 | Fluted | 60" | 10 1/2" x 10 1/2" | 8" x 8" | |
| FBC 1096 | FBCS 1096 | Fluted | 96" | 10 1/2" x 10 1/2" | 8" x 8" | |



COLUMNS & PORCH POSTS


PORCH POSTS



- 1 PP 3200**
 - 5 1/4" projection
 - 5 1/4" width
 - 9' height
- 2 PP 3201**
 - 5 1/4" projection
 - 5 1/4" width
 - 8' height
- 3 PP 3202**
 - 5 1/2" projection
 - 5 1/2" width
 - 10'6" height
- 4 PP 3203**
 - 5 3/8" projection
 - 5 3/8" width
 - 8' 11 1/2" height

- Load bearing porch post with 2" O.D. galvanized steel pipe encased in polyurethane
- Maximum safe load 3,500 pounds
- Porch posts installation instructions on page 173.
- O.D. refers to outside diameter.

LAMP POSTS




- LP 3700**
 - 5 1/2" bottom
 - 3 1/2" top
 - 8' height
- Lamp posts come with a 3" O.D. galvanized steel pipe extending 1 3/4" from the top to attach the light fixture to. (light fixture not included)




See chart on page 62


COLUMNS & PORCH POSTS




PC 100-100
Pilaster
PC 100-200
Column




PC 200-100
Pilaster
PC 200-200
Column




PC 300-100
Pilaster
PC 300-200
Column



PC 400-100
Pilaster
PC 400-200
Column
PC 400-101
Pilaster
PC 400-201
Column



PC 500-100
Pilaster
PC 500-200
Column
PC 500-101
Pilaster
PC 500-201
Column



PC 600-100
Pilaster
PC 600-200
Column

www.spectis.com



COLUMNS & PORCH POSTS

PL PREMIUM ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

PILASTERS & COLUMNS

| PRODUCT NUMBER | PILASTER OR COLUMN | CAP DIMENSION | | | BASE DIMENSION | | | PANEL DIMENSION | | | TOTAL HEIGHT |
|----------------|--------------------|-------------------|---------|------------|-------------------|---------|------------|-------------------|-----------|------------|--------------|
| | | Width | Height | Projection | Width | Height | Projection | Width | Height | Projection | |
| PC 100-100 | PILASTER | 18 1/2" | 5 1/2" | 3 1/2" | 20" | 1' 9" | 4 3/8" | 14 5/8" | 8' 3" | 1 5/8" | 10' 5 1/2" |
| PC 100-200 | COLUMN | 18 1/2" x 18 1/2" | | | 20" x 20" | | | 14 5/8" x 14 5/8" | | | 10' 5 1/2" |
| PC 200-100 | PILASTER | 44" | 14 7/8" | 16 1/2" | 41" | 18" | 15" | 33" | 5' 2 1/2" | 11" | 7' 11 1/4" |
| PC 200-200 | COLUMN | 44" x 44" | | | 41" x 41" | | | 33" x 33" | | | 7' 11 1/4" |
| PC 300-100 | PILASTER | 21 1/2" | 8 1/2" | 6 1/8" | 24 3/8" | 21 1/2" | 7 1/2" | 15 1/4" | 7' 8 1/2" | 2" | 10' 2 1/2" |
| PC 300-200 | COLUMN | 21 1/2" x 21 1/2" | | | 24 3/8" x 24 3/8" | | | 15 1/4" x 15 1/4" | | | 10' 2 1/2" |
| PC 400-100 | PILASTER | 11 5/8" | 6 1/2" | 2 1/4" | 11 1/2" | 1' 2" | 2 1/4" | 10" | 7' 1/2" | 1 1/2" | 8' 9" |
| PC 400-200 | COLUMN | 11 5/8" x 11 5/8" | | | 11 1/2" x 11 1/2" | | | 10" x 10" | | | 8' 9" |
| PC 400-101 | PILASTER | 17 5/8" | 6 1/2" | 2 1/4" | 17 1/2" | 1' 2" | 2 1/8" | 16" | 7' 10" | 1 3/8" | 8' 8 1/2" |
| PC 400-201 | COLUMN | 17 5/8" x 17 5/8" | | | 17 1/2" x 17 1/2" | | | 16" x 16" | | | 8' 8 1/2" |
| PC 500-100 | PILASTER | - | - | - | - | - | - | 20" | 7' 3" | 1 3/4" | 7' 3" |
| PC 500-200 | COLUMN | - | - | - | - | - | - | 20" x 20" | | - | 7' 3" |
| PC 500-101 | PILASTER | - | - | - | - | - | - | 6" | 5' 6" | 1 3/4" | 5' 6" |
| PC 500-201 | COLUMN | - | - | - | - | - | - | 6' x 6" | | - | 5' 6" |
| PC 600-100 | PILASTER | 30" | 8" | 6" | 33" | 27 1/2" | 7 1/2" | 24" | 23' | 2 1/4" | 25' 11 5/8" |
| PC 600-200 | COLUMN | 30" x 30" | | | 33" x 33" | | | 24" x 24" | | | 25' 11 5/8" |



Photo above illustrates the following Spectis products: blocks BL 2568, baluster BAL 2047, custom arch with flankers, sunburst HCS 4825, rails RAL 2106T, RAL 2103B, newel post NP 2200, newel cap NC 2305, and moulding MD 1221.

1 • 8 0 0 • 6 8 5 • 9 9 8 1

